



## WHITMAN COUNTY ENVIRONMENTAL HEALTH

PULLMAN BRANCH OFFICE  
1205 SE PROFESSIONAL MALL BLVD STE # 203  
PULLMAN, WASHINGTON 99163  
PHONE (509) 332-6752  
FAX (509) 334-4517

CENTRAL OFFICE  
310 N. MAIN STREET  
COLFAX, WASHINGTON 99111  
PHONE (509) 397-6280  
FAX (509) 397-6239

Date of Service:
Date Recd:
Inv. #
Recpt#
NOTES:

**WAC 246-272A-0265**

### Requirements for As-Built Drawing

Upon completion of the new construction, alteration or repair of the OSS, a complete and detailed record drawing shall be submitted to both the health officer and the OSS owner that includes at a minimum the following:

1. Measurements and directions accurate to +/- 1/2 foot, unless otherwise determined by the local health officer, to assure the following parts of the OSS can be easily located:
  - a. All sewage tank openings requiring access
  - b. The ends, and all changes in direction, of installed and found buried pipes and electrical cables that are part of the OSS
  - c. Any other OSS component which, in the judgment of the health officer or the designer, must be accessed for observation, maintenance, or operation
2. Location and dimensions of reserve area
3. Record that materials and equipment meet the specifications contained in the design
4. Initial settings of electrical or mechanical devices that must be known to operate the system in the manner intended by the designer or installer
5. For proprietary products, manufacturer's standard product literature, including performance specifications and maintenance recommendations needed for operation, monitoring, maintenance or repair of the OSS

**Additional information or variations in original approved plans:**

**No Permit Can Be Issued Until As-Built Is Submitted**

